



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBWAAB0026
Job Sheet 183992



Part No: RBWAAB0026

Job Qty: 3 ea

Part Name: Main Rotor & Tail Rotor Servoactuator Torque Socket



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 10/1/18

Job Tracking No:

Due Date: 12/17/18

Created By: Patrick Lussier

Type: Stock

Description:

Note: DWG RBWAAB0026 Rev 2 IPP Rev A 18.01.10 New issue DP Verify DD/IPP Rev B 18.02.06 Now purchased part DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Purchasing	1 pcs	12/17/18	12/17/18	0.00	0.00	Purchasing		DEC 18 2018
110	Packaging	1 pcs	12/17/18	12/17/18	0.00	0.00	Packaging2		DEC 18 2018
120	QC	1 pcs	12/17/18	12/17/18	0.00	0.00	QC6		38
130	Packaging	1 pcs	12/17/18	12/17/18	0.00	0.00	Packaging3		DEC 18 2018
140	QC21-FG	1 Ea	12/17/18	12/17/18	0.00	0.00	QC21		DEC 18 2018

Part Op Descriptions: 90 - 1-Issue P/O to METEC ; P/O 041315 Fabricate as per DWG RBWAAB0026

oct 11 x3 R h

GA094 DEC 18 2018

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
RBWAAB0026P	Main Rotor & Tail Rotor Servoactuator Torque Socket	1 Ea (1 ea)	90-Purchasing	5138343

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Purchasing	RBWAAB0026P	1	0	0

Part Specifications

Specifications could not be found.

Plex 10/1/18 11:33 AM dart.Lussier.Patrick



Container No: S138357



Part: RBWAAB0026

Job No: 183992

Serial No/Batch: S138357

Revision: 2

Inspector:

Exp Date:

Instructions:

Date: 12/18/18


1990
1991
1992

DEC 1 1990
DEC 1 1990

1990
1991
1992

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
1		RELEASED FOR PRODUCTION.	11/17/2015	RJC
2	16-0280	UPDATED TO NEW STANDARDS. -1 CH'D MATERIAL WAS 4140 Q&T/4142 Q&T IS 4140/4142; ADDED HEAT TREAT, ADDED FINISH SPEC. -3 CH'D DIM WAS $\varnothing 1.101 \pm .000/-0.003$ S.F. -1 IS $\varnothing 1.099/1.096$ (S.F. -1); ADDED NOTE "SPLIT LINE Δ "; CH'D NOTE Δ WAS EDM SOCKET IN HALF WITH MINIMAL MATERIAL LOSS. IS EDM SOCKET IN HALF WITH MINIMAL MATERIAL LOSS. FLATS ON SOCKET MUST ALIGN; ADDED FINISH SPEC.	12/29/2016	SM



DO NOT
MATH PN ON
TAB - 3
PBC 18/18

NOTES:

1. REFERENCE AGUSTA T/N AAB0026.
2. UPDATED RBWAAB0006.

DART AEROSPACE	
TITLE M/R & T/R SERVO TORQUE SOCKET	
DWG NO. RBWAAB0026	REV 2
MAT'L HEAT TREAT FINISH SPEC	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm$.005 FRACTIONS $\pm$ 1/8 .XX $\pm$.01 ANGLES $\pm$.5° .X $\pm$.1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DRAWN BY: CLOUGH	USED ON MODEL
CHECKED: DUERFELDT	AW139
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:1	DATE 11/1/2015
SHEET 1 OF 3	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	CLAMP	4140/4142		2
			-3	1	SOCKET	4140/4142		3

P.J. Machinage (9052 9470 Qc Inc).
1381, Rte Cité-Des-Jeunes,
St-Lazare, Qc
J7T 2B8
Tel. : 450 455-0705

Bid 09/10/2018 15242

Sales Rep. : Peter Jones
Reference : Assemblage RBWAAB0026 Rev.2
Expiration Date : 08/11/2018

Customer : 628

Dart Aerospace Ltd.
Patrick Lussier
1270 Aberdeen St
Hawkesbury, Ontario
K6A 1K7

Ship To :

Same

Tel. : 1 613 632-3336

Item No.	Description	Qty	Price	Total	Tx
001	RBWAAB0026 Rev.2 M/R & T/R Servo Torque socket	3	1005.00	3 015.00	AB

Material supplied by P.J. Machinage
Price valid : Conditionally if full order
is given and there is only one setup
and one shipment, if not, surcharges
may apply.
Machining price valid 30 days.
Material price valid 1 day only, due
to USA
Freight charge not included.

Delivery is to be discussed the day
we receive the purchase order.

P.J. MACHINAGE
LISEZ ATTENTIVEMENT ET CORRIGEZ
LES ERREURS ÉVENTUELLES. NOUS NE
POURRONS PAS ÊTRE TENUS
RESPONSABLES POUR LES ERREURS,
APRES QUE VOTRE APPROBATION AIT
ÉTÉ DONNÉE.

SIGNATURE _____ DATE _____
NOTRE RESPONSABILITÉ SE LIMITE
AU MACHINAGE ET/OU À LA SOUDURE.

P.J. Machinage retains ownership of all goods sold and other work-product delivered to or performed for its customer until full and complete payment of the underlying invoice, even in circumstances where the part to be machined or materials were provided by the customer. In cases where the part of materials belonged to the customer before it is remitted to P.J. Machinage for the purpose of performing work thereon, its delivery to P.J. Machinage shall entail a transfer of the underlying rights of ownership of the customer over said part or materials.

Note: All the COD Clients must pay 50% up front and the balance must be paid upon reception.

A) Regist : 870637832	Subtotal	3 015.00
B) Regist : 1021079932	TPS :	150.75
	TVQ :	300.75
	Total :	3 466.50

OK



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041315**

Supplier: PJM001-VC
P.J. Machinage
1381 Rte Cite-Des-Jeunes
St-Lazare
QC
J7T 2B8
Phone: 450-455-0705

PO No: PO041315
PO Date: 10/11/18
Due Date: 12/6/18

Purchase Order
Revision:

Revision Date:

Ship-To Contact: Phone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	183992	RBWAAB0026P			Main Rotor & Tail Rotor Servoactuator Torque Socket As Per Dwg RBWAAB0026 Rev. 2	Firmed	-	12/6/18	3 Ea	0 Ea	3 Ea	\$1,005.00/Ea	\$3,015.00

Line Item Note SIOP

Grand Total: \$3,015.00

Order Notes

Procurement Quality Clauses

A005 RIGHT OF ENTRY
A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A041 QUALITY MANAGEMENT SYSTEM
A042 DART NOTIFICATION BY SUPPLIER
A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 10/11/18 9:22 AM dart.Lussier.Patrick

Shipping Order

14/11/2018

P.J. Machinage (9052 9470 Qc Inc).
1381, Rte Cité-Des-Jeunes,
St-Lazare, Qc
J7T 2B8

Tel.: 450 455-0705

Order : 7150
Reference : PO041315-S/O : 7150
Bid : 15242

Customer: 628

Ship To

Dart Aerospace Ltd.
Accounts payable
1270 Aberdeen St
Hawkesbury, Ontario
K6A 1K7

Same

Fax: 1 613 632-5246

Item No.	Description	Qty	Qty. Delivered	B/O Qty
001	RBWAAB0026 Rev.2 M/R & T/R Servo Torque socket	3	3	0

P.J. Machinage retains ownership of all goods sold and other work-product delivered to or performed for its customer until full and complete payment of the underlying invoice, even in circumstances where the part to be machined or materials were provided by the customer. In cases where the part of materials belonged to the customer before it is remitted to P.J. Machinage for the purpose of performing work thereon, its delivery to P.J. Machinage shall entail a transfer of the underlying rights of ownership of the customer over said part or materials.

Shipping : Your truck
Package No :
Merchandise Received: 13/12/2018

Ref. : Decom : D27 110 PRO

but, this package refers to ownership of goods sold and other work product delivered to a
particular for its business and that it is not a part of the business itself, even in
circumstances where the goods are sold to the customer in a separate package, and the customer
of us where the package is sold to the customer in a separate package, and the customer
for the purpose of returning it with the goods to the customer, and the customer
is not a part of the business of the customer, and the customer is not a part of the business

PJ Machinage

Certificate of conformance

Sold to:

Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON, K6A 1K7

Supplier address:

PJ Machinage
1381 Route Cité-Des-Jeunes
St-Lazare, Qc, J7T 2B8

Purchase Order: PO041315

This is to certify that the below names items were inspected and/or tested to your drawings, specifications and purchase order. Objective evidence are shipped with the products and are on file to support the verifications and/or tests and can be made available on request, unless otherwise noted.

<u>Part Number</u>	<u>Quantity</u>	<u>Description</u>
RBWAAB0026 Rev. 2	3	<u>M/R & T/R Servo</u> <u>Torque Socket</u>

DAS
38
9-89

 , December 12 , 2018



Certificat de Conformité / Certificate of Compliance

(015084-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupaltech.com

Bon de Livraison / Packing Slip

015084 - 1

Livré à / Ship to

PJ MACHINAGE

1381 Rte de la Cité-des-Jeunes

St-Lazare, QC, J7T2B8

CANADA

Tel.: 450-455-0705 Fax.: 450-455-1167

Client / Customer:

PJ MACHINAGE

1381 Rte de la Cité-des-Jeunes

St-Lazare, QC, J7T2B8

CANADA

BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.				
12-Dec-2018		Aman		135700				
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order
1	LOT 04 PCS Rev.	LOT 04 PCS 01 -OXIDE BLACK [OXIDE BLACK]	OXIDE-BLACK MIN-CHG	4	4	0	0	0

 DAS
 38
 9-89

Notes Additionnelles / Additional Notes

Epaisseur réelle
Actual Thickness
Inspecteur Qualité
Quality Inspector
Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
 Our financial and legal responsibility will not be higher than the amount of invoice.

METCOR INC.

560 BOUL. ARTHUR-SAUVÉ, ST-EUSTACHE, QC, J7R 5A8

Tél.: 450-473-1884

Télécopieur / Fax administration: 450-491-5498

Télécopieur / Fax production: 450 491-6454

Certificat de Conformité Certificate of Compliance

BON DE TRAVAIL order	CHARGEMENT load
331793	1

CLIENT / customer 236

P.J. MACHINAGE

1381 ROUTE LA CITÉ DES JEUNES

ST-LAZARRE

QC J7T 2B8

LIVRÉ À / shipped to:

P.J. MACHINAGE

1381 ROUTE LA CITÉ DES JEUNES

ST-LAZARRE

QC J7T 2B8

1

COMMANDE DU CLIENT customer po	CLASSIFICATION PIECE part classification	MATÉRIEL material	MAÎTRE D'OEUVRE prime contractor	PROGRAM
135558	N/A	4140		

SPÉCIFICATIONS DU PROCÉDÉ

processing specifications

SEL HARDEN

HARDEN AND TEMPER

EXIGENCE / requirement	SPÉCIFICATIONS / specified	TESTS EXÉCUTÉS / performed	RÉSULTATS DE TESTS / results
HARDNESS	38 - 40 HRC	8 (907)	38 - 40 HRC

QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈCES parts description
8	4	RBWAAB00026-1 (4) RBWAAB00026-1 (4) RBWAAB00026-3 1 BC EPS

COMMENTAIRES / comments

APPROUVÉ par / Approved by:

DATE: 2018-11-14

Pierre Piché
Chief Inspector



APPROUVÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



Earle M. Jorgensen
(Canada) Inc.

Page 01 of 02

Certification Date
17-APR-2018

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

134657
PART NUMBER/NUMÉRO DE PIÈCE
506264

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
S706157

SOLD TO: P.J. MACHINAGE
VENDU À: 9052-9470 QUEBEC INC
1381 ROUTE DE LA CITE DES JEUNES
SAINT- LAZARE QC J7T 2B8

SHIP TO:
EXPÉDIÉ À:

P.J. MACHINAGE
9052-9470 QUEBEC INC.
1381 ROUTE CITE DES JEUNES
SAINT- LAZARE QC J7T 2

Description: 4140/4142 HR ANN BAR ASTM A322
1-3/4 RD X 20' R/L
HEAT: 241800

ITEM: 506264

Line Total: 165 LB

Specifications:

ASTM A322 13
EN 10204 3.1
ASTM E709 15
ASTM E112 13
ASTM A370 17
JDM AO QL-2

ASTM A304 16
ASTM A29 16
ASTM A388 16
ASTM E45 13
AISI 4140/4140H
MIC 6016-16 16

ASTM A388/A388M 16
ASTM A751 14
ASTM A255 14
ASTM E10 15
AISI 4142/4142H
MIC 6016/2016 ADD 5 16

CHEMICAL ANALYSIS

C	MN	SI	P	S	CR	NI	MO
0.411	0.83	0.23	0.017	0.021	1.08	0.14	0.22
AL	CU	SN	TI	B	V	NB	AS
0.02	0.20	0.01	0.0024	0.0001	0.006	0.004	0.005
CA	SB	CO	H				
0.0006	0.001	0.01	0.0008				

RCPT: R433492

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR	ULT TEN	%ELONG	%RED IN AREA	HARDNESS BHN 195

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.


The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOANNE DESPRES

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



Earle M. Jorgensen
(Canada) Inc.

Page 02 of 02

Certification Date
17-APR-2018

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

134657
PART NUMBER/NUMÉRO DE PIÈCE
506264

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
S706157

SOLD TO: P.J. MACHINAGE
VENDU À: 9052-9470 QUEBEC INC
1381 ROUTE DE LA CITE DES JEUNES
SAINT- LAZARE QC J7T 2B8

SHIP TO:
EXPÉDIÉ À:

P.J. MACHINAGE
9052-9470 QUEBEC INC.
1381 ROUTE CITE DES JEUNES
SAINT- LAZARE QC J7T 2

Description: 4140/4142 HR ANN BAR ASTM A322
1-3/4 RD X 20' R/L

Line Total: 165 LB

HEAT: 241800 ITEM: 506264
END-QUENCH HARDENABILITY (JOMINY - RC) IN

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
58	58	57	57	56	56	55	54	53	52	51	50	48	47	46
16	18	20	22	24	26	28	30	32						
45	43	42	41	40	39	38	37	37						

IDEAL DIAMETER : 5.96 IN GRAIN SIZE : 7 -

CLEANLINESS

	A		B		C		D	
	THIN MAX	THICK MAX	THIN MAX	THICK MAX	THIN MAX	THICK MAX	THIN MAX	THICK MAX
e45	2.0	1.0	0.5	1.0	0.0	0.0	1.0	0.5

VACUUM DEGASSED MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
ULTRASONIC: YES
MACRO: OK
MICRO: OK

COMMENTS

red. ratio = 37

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.
The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOANNE DESPRES

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



Earle M. Jorgensen
(Canada) Inc.

Page 01 of 02

Certification Date
12-SEP-2017

ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

133616

PART NUMBER/NUMÉRO DE PIÈCE

506429

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
T370153

SOLD TO: P.J. MACHINAGE
VENDU À: 9052-9470 QUEBEC INC
1381 ROUTE DE LA CITE DES JEUNES
SAINT-LAZARE QC J7T 2B8

SHIP TO:

EXPÉDIÉ À:

P.J. MACHINAGE
9052-9470 QUEBEC INC.
1381 ROUTE CITE DES JEUNES
SAINT-LAZARE QC J7T 2

Description: 4140/4142 HR HT BAR STRESS FREE 269/321 BHN
1-1/2 RD X 20' R/L
HEAT: 75066774
ITEM: 506429
Line Total: 241 LB

Specifications:

ASTM A193 GR B7 16

ASTM A434 GR BC 06

ASME SA193 GR B7

CHEMICAL ANALYSIS

C	MN	P	S	SI	NI	CR	MO
0.42	0.89	0.01	0.029	0.24	0.15	0.90	0.17
CU	SN	AL	V	NB			
0.21	0.013	0.022	0.004	0.002			

RCPT: R264638

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR KSI	ULT TEN KSI	%ELONG IN 02 IN	%RED IN AREA	HARDNESS BHN
	130.0	143.0	21.0	59.0	299

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOANNE DESPRES

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS



Earle M. Jorgensen
(Canada) Inc.

Page 02 of 02

Certification Date
12-SEP-2017

FORMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

133616
PART NUMBER/NUMÉRO DE PIÈCE
506429

EARLE M JORGENSEN CAN DIV RMCL
1255, AVE LAPLACE
VILLE DE LAVAL QC H7C 2N6

Invoice Number
T370153

SOLD TO: P.J. MACHINAGE
VENDU À: 9052-9470 QUEBEC INC
1381 ROUTE DE LA CITE DES JEUNES
SAINT- LAZARE QC J7T 2B8

SHIP TO:
EXPÉDIÉ À:

P.J. MACHINAGE
9052-9470 QUEBEC INC.
1381 ROUTE CITE DES JEUNES
SAINT- LAZARE QC J7T 2

Description: 4140/4142 HR HT BAR STRESS FREE 269/321 BHN
1-1/2 RD X 20' R/L
Line Total: 241 LB

HEAT: 75066774 ITEM: 506429

END-QUENCH HARDENABILITY (JOMINY - RC)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
57	57	57	57	57	57	56	55	54	52	51	50	49	48	47
16	18	20	22	24	26	28	30	32						
46	45	44	44	42	42	40	40	38						

GRAIN SIZE : 5 - 8

MATERIAL IS FREE FROM MERCURY CONTAMINATION
NO WELD REPAIR PERFORMED ON MATERIAL
THERMAL TREATMENT: OK
AUSTENIZE 1650 1.00
QUENCH 0 0.00 WATER
TEMPER 1400 1.00
MACRO: OK
MICRO1: OK

COMMENTS

melted and mfg in usa
reduction ratio 38.5:1

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.


Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOANNE DESPRES

MANAGER QUALITY ASSURANCE
GÉRANT DE L'ASSURANCE QUALITÉ

QUANTITÉ:

3



NOM DE LA PIÈCE:

RBWAAB0026-1

MATÉRIEL:

PAGE No.:

1/2

1.430

SIGNATURE RESPONSABLE:

St. 